Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	cache with (wireless adj device) with ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:23
L2	3	cache with (wireless) with ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:24
L3	11	cache same (wireless) same ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:30
L4	88	cache same (wireless) same antenna	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:32
L5	50	cache same (wireless) same antenna same receiv\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:32
L6	. 36	cache same (wireless) same antenna same receiv\$3 same transmit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:45
L7	1 7.10.52:00 AM	cache same (wireless) same antenna same (receiv\$3 adj unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:46

				1	Γ	T
L8	1	cache same antenna same (receiv\$3 adj unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:46
L9	5	cache same antenna same (receiv\$3 near2 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:48
L10	70	cache same antenna same (receiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/03/02 08:49
L11	488886	cache same antenna same (receiver) smae transmitter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:49
L12	40	cache same antenna same (receiver) same transmitter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 08:49
L13		anntenna same phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:08
L14	16813	antenna same phone	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:08

L15	12	antenna same phone same cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 10:08
S1 	1	(user adj control) with (line adj buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2007/02/22 08:46
S2	4	(user adj control) same (line adj buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/16 16:13
S3	725	(prefetch or pre-fetch or preload or pre-load) with ((external or main) adj memory) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 12:24
S4	3	(prefetch or pre-fetch or preload or pre-load) with ((external or main) adj memory) with cache with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 10:08
S5	142	(prefetch or pre-fetch or preload or pre-load) with cache with user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 12:25
S6	1	(prefetch or pre-fetch or preload or pre-load) with cache with (user adj control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 12:41

S7	8	(prefetch or pre-fetch or preload or pre-load) with (user adj control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 12:42
S8	256	(prefetch or pre-fetch or preload or pre-load) same (fill near10 cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 12:43
S9	. 8	(prefetch or pre-fetch or preload or pre-load) same (fill near10 cache) same user	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 12:47
S10	19	(prefetch or pre-fetch or preload or pre-load) same (fill near10 ((external or main) adj memory))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/20 12:47
S11	1	(prefetch or pre-fetch or preload or pre-load) with ((external or main) adj memory) with (line adj buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 10:10
S12	10	(prefetch or pre-fetch or preload or pre-load) with ((external or main) adj memory) with (user or programmer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 10:39
S13	1079	(prefetch or pre-fetch or preload or pre-load) with ((external or main) adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 10:39

S14	912	(prefetch or pre-fetch or preload or pre-load) near10 ((external or main) adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 10:39
S15	5	(prefetch or pre-fetch or preload or pre-load) near10 ((external or main) adj memory) near10 on-chip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 10:43
S16	8	(user or programmer) near10 (prefetch or pre-fetch or preload or pre-load) near10 ((external or main) adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:23
S17		(DME) near10 (prefetch or pre-fetch or preload or pre-load) near10 ((external or main) adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:24
S18	1	(DME) near10 (pag\$3) near10 ((external or main) adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:24
S19	82	(user or programmer) near10 (pag\$3) near10 ((external or main) adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:07
S20	3366	(user or programmer) near10 ((external or main) adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:07

S21	4	(user or programmer) near10 ((external or main) adj memory) near10 fill\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT;	OR .	OFF	2007/02/21 14:13
S22	75	(user or programmer) near10 ((external or main) adj memory) near10 pag\$3	IBM_TDB US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:16
S23	33	(user or programmer) adj control\$3 adj pag\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/21 14:17
S24	40	(user or programmer) adj control\$3 adj (pag\$3 or fill\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:18
S25	94542	(user or programmer) near10 (pag\$3 or fill\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:19
S26	531885	(user or programmer) near10 (pag\$3 or fill\$3) enar10 (prefetch\$3 or pre-fetch\$3 or demand)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:20
S27	898	(user or programmer) near10 (pag\$3 or fill\$3) near10 (prefetch\$3 or pre-fetch\$3 or demand)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:20

S28	70	((user or programmer) near10 (pag\$3 or fill\$3) near10 (prefetch\$3 or pre-fetch\$3 or demand)) same cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/21 14:44
S29	42	(((external or main) adj memory) near10 (pag\$3 or fill\$3) near10 (prefetch\$3 or pre-fetch\$3 or demand)) same cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 15:10
S30	106	(((external or main) adj memory) near10 (pag\$3 or fill\$3) near10 (prefetch\$3 or pre-fetch\$3 or demand))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 17:10
S31	413	(711/117).CCLS.	USPAT; USOCR	OR	OFF	2007/02/21 17:11
S32	,	S30 and S31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 17:11
S33	450	(711/119).CCLS.	USPAT; USOCR	OR	OFF	2007/02/21 17:11
S34	1	S30 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 17:11
S35	4	(direct adj memory adj exchange)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 09:00

S36	903	((external or main) adj memory)	US-PGPUB;	OR	OFF	2007/02/22 09:01
	903	with (prefetch\$3 or pre-fetch\$3) with cache	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S37	9	((external or main) adj memory) with (prefetch\$3 or pre-fetch\$3) with cache with fill\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 09:06
S38	555	((external or main) adj memory) with cache with fill\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 09:11
S39	19	((external or main) adj memory) with cache with fill\$3 with on-chip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 09:07
S40	179	(((external or main) adj memory) near5 fill\$3) same (cache near10 miss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 09:12
S41	0	(((external or main) adj memory) near5 fill\$3 near10 (user or programmer)) same (cache near10 miss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 09:12
S42	2	(((external or main) adj memory) near5 fill\$3 near10 prefetch\$3) same (cache near10 miss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 09:13

S43	179	(((external or main) adj memory) near5 fill\$3 near5 (buffer or memory)) same (cache near10 miss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 09:13
S44	13	(((external or main) adj memory) near5 fill\$3 near5 buffer) same (cache near10 miss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:15
S45	224	(((external or main) adj memory) near5 "L2") same (cache near10 miss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:25
S46	0	(((external or main) adj memory) near5 "L2" near10 (user or programmer)) same (cache near10 miss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:26
S47	16	(((external or main) adj memory) near5 "L2" near10 (fill\$3 or pag\$3)) same (cache near10 miss)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:34
S48	243	(user near2 control\$3) near10 ((external or main) adj memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:40
S49	1	(user near2 control\$3) near10 ((external or main) adj memory) near10 RAM	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:42

CEC		(upper many2 control#2) ====10	LIC DCDLID	OB	OFF	2007/02/22 10:44
S50	0	(user near2 control\$3) near10 ((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:44
S51	0	(user near2 control\$3) with ((external or main) adj memory) with ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:44
S52	7	(user) with ((external or main) adj memory) with ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:46
S53	1098	((external or main) adj memory) with ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:47
S54	717	cache with ((external or main) adj memory) with ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:47
S55	9	(cache with ((external or main) adj memory) with ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))) same (user or programmer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/22 10:47
S56	7	(user or programmer) near10 ((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:06

•						
S57	923	((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:06
S58	0	((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance)) same wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:06
S59	0	(((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))) same wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:07
S60	0	(((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))) same (cellular adj phone)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:07
S61	0	(((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))) same (handset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:08
S62	5	(((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))) same (terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:16
S63	0	(((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))) same (mobile adj station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:11

S64	0	(((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))) same (base adj station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:12
S65	0	(((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))) same (remote adj station)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/02/27 10:12
S66	0	(((external or main) adj memory) near10 ((look adj ahead) or prefetch or lookahead or pre-fetch or (in adj advance))) same (antenna)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/27 10:16